

Voimansiirtoöljyjen SAE-luokitus

(J306)

SAE-luokka	Ylin lämpötila, jossa viskositeetti 150.000 cP	Viskositeetti +100°	
		min	max
70W	-55°C	4,1	-
75W	-40°C	4,1	-
80W	-26°C	7,0	-
85W	-12°C	11,0	-
80	-	7,0	<11,0
85	-	11,0	<13,5
90	-	13,5	<18,5
110	-	18,5	<24,0
140	-	24,0	<32,5
190	-	32,5	<41,0
250	-	41,0	-